



Silent Gliss Fabrics & Components GmbH Rheinauenstrasse 8 79415 Bad Bellingen Germany

Application No.:220686.1Date of issue:06.10.2022Valid until:27.09.2027Article name:COLORAMA 1End use:Curtains<br/>Interior Solar ShadingSquare weight (g/m²):135

According to customer specification Composition of the raw materials: Composition of the fabric:

The article COLORAMA 1 has been tested under the Trevira trademark application no. 220686 and is granted approval for the trademark Trevira CS® for interior use.

Polyester 100%

Trevira CS 100%

The article was tested according to DIN 4102 part 1, 6.2 and thus also meets the requirements for fire class DIN 4102-B1.

The article was tested according to the French Standard NF P 92-504 (Propagation de flamme) and thus also meets the requirements for class M1 according to NF P 92-503, 92-505 and 92-507.

The article meets the requirements for class 1 according to EN 13773.

This article qualifies for class B-s1, d0 according to the European Standard EN 13501-1. Trevira CS has been approved by the DIBt with the General Building Inspectorate Approval, Approval No. Z-56.25-3573 dd. 24 April 2018.

Thus meets also the requirements for class 1 according to the Italian Standards UNI 8456 and UNI 8457.

Thus meets also the requirements according to British Standard BS 5867 part 2 type C.

This article also meets the requirements according to the North American standard NFPA 701: 2010 Test Method #1 (based on the Test Reports Govmark, New York No. 2-94779, 2-94780, 2-94781).

Trevira GmbH (This document is valid without signature.)

> Trevira GmbH, Trademark Service, Max-Fischer-Straße 11, 86399 Bobingen, Germany E-Mail: <u>trademark.service@trevira.com</u>