# Silent Gliss ROLLER 8 DIM-OUT BLINDS



### **Discreet yet** effective

Silent Gliss offers the most comprehensive, technically advanced roller blind systems for contract and residential interiors. Whether for glare management or room darkening, their clean lines complement any room providing discreet and effective shading. Manual or motorised, with optional fascias, headboxes, and sidechannels, Silent Gliss roller blinds offer exceptional versatility to suit a wide range of applications.

Our Swiss engineered systems are made-to-measure and use only high-quality certified parts which deliver reliable, long-term functionality.

#### PERFORMANCE

Smooth and quiet operation remains our priority. The use of only the highest-quality components ensures consistent ease of use, even at the largest sizes.





Every blind is made-to-measure with a choice of bottom bar designs, fabric and hardware colours.

The Collection offers you a range of fabrics which includes screens for light and glare control.

#### SMART CONNECTED

Explore our range of motorised roller blinds which seamlessly integrate into world's leading building automation systems.

Alternatively, our Move app offers intuitive control. Individual systems or groups can be easily configured and controlled via a mobile device.

#### SUSTAINABLE

Silent Gliss products are manufactured within an environmentally friendly, safe and socially responsible framework. We strive for sustainable growth through the harmonisation of economical, ecological and social factors.

# The Silent Gliss difference.

# Shading's best kept secret

It's about what you cannot see. The roller blind fascias and headbox from Silent Gliss deliver the high-performance you expect from our systems whilst discreetly concealing them from view.

Form meets function as the self-contained blinds integrate flawlessly into any living and working environment, the sleek design complementing modern architecture.

#### HEADBOX – COMPLETELY CONCEALED

The recessed headbox allows the roller blind to be concealed in the ceiling for an unobscured view when the fabric is rolled up. Access to the technology is guaranteed at all times.







Whether curved or square, black or white, all components seamlessly integrate the roller blind into any room.

The bottom bar forms a flush finish when the roller blind is raised.



#### SIDE GUIDE CHANNELS

Optional side guide channels for motorised roller blinds eliminate light gaps for room darkening.

## Endless operation possibilities

With our range of intuitive operation methods, the ideal solution is just a touch away. Whether manual or motorised, you are assured of the same quiet and smooth movement.

#### ELECTRICAL OPERATION

Silent Gliss motorised roller blinds offer unrivalled smooth and fast performance with soft stop and programmable intermediate positions. Experience the ultimate in blind control with a range of handsets and wall switches, the Move app or via a third party control system.

For hassle-fee Installation without the need for wiring to a window, choose our battery operated roller blind – the perfect retrofit solution.

Our Smart motors and Gateway seamlessly integrate blinds into the world's leading building automation systems, providing a truly connected experience.





#### 

Simple sophistication, timeless quality – our chain-operated roller blind systems are designed to deliver smooth and effortless operation, even at maximum dimensions.

The established and well-respected system SG 4910 continues to set the standard for chain operated roller blinds. The refined spring and premium components combine for fingertip operation. The range options and simple installation makes this system a market-leader for contract and residential buildings.

#### (h) SPRING OPERATION

Inherently child safe, the spring-operated SG 4900 includes a unique speed controller ensuring a smooth ascent. An optional upper stop controller is available to halt the blind in a specific position.





### **Room darkening dim-out systems**

Whether for home or work, Silent Gliss dim-out blind systems provide a versatile solution to room darkening. The systems use side profiles, a zip tensioning system and brush strips to eliminate the maximum amount of daylight. The blinds can be chain operated or motorised and are offered with a choice of FR dimout fabrics from The Collection.

#### MADE-TO-MEASURE

The Silent Gliss dim-out system is supplied made-to-measure and can accommodate windows up to 3m wide with powder coated profiles in black or white. Choose from a range of extensively tested flame-retardant fabrics from The Collection by Silent Gliss.



The unique zip system keeps the fabric tensioned within the side profiles for a smooth and consistent movement. With simple fitting, installation costs are kept to a minimum.

#### AT THE PUSH OF A BUTTON

Dim-out blind systems are available chain operated or motorised. Motorised systems can be controlled using a handset or switch and by the Silent Gliss Move app. Our Smart motors and Gateway seamlessly integrate blinds into the world's leading building automation systems.



## Fabrics – beyond decoration

The Silent Gliss Collection sets itself apart by considering both the fabric's texture and technical features. We offer a wide range of styles and colours that balance function and design across all of our window treatment systems.

We include fabrics with special functions such as acoustic performance, superior light management, antimicrobial and environmental considerations. All of our fabrics are flame retardant and have been extensively tested on our systems to ensure consistent hanging behaviour.





Screen fabrics for heat, light and glare protection

Newlifescreen Alu made from 100% recycled PET bottles Atracor with a black core yarn for excellent transmission values **Nox** blackout fabric for a perfect room darkening

#### **COLORAMA® – A SILENT GLISS EXCLUSIVE**

In 1981 Silent Gliss introduced an exclusive fabric that was to transform the internal shading industry: **Colorama.** 

This sophisticated and flame retardant fabric is woven to guarantee optimum hanging performance for roller blinds. Such is its versatility it's available in thirty colours, two transparencies and various finishes including Acoustic, Multicolour, Alu, Eco and Bioactive. In addition to being highly decorative Colorama has Standard 100 by Oeko-Tex<sup>®</sup> and Cradle to Cradle Certified<sup>™</sup> Bronze sustainability credentials.



Colorama Acoustic with superior acoustic performance which belies its agile appearance Colorama Alu, with an aluminium backing for increased heat and light reflection

# **Technical summary – roller blinds**

SYSTEM	DIMENSIONS	OPERATION	USEFUL INFORMATION
SG 4900	Max width: <b>2 m</b> Max drop: <b>3 m</b> Max weight: <b>2.2 kg</b>	Spring	<ul> <li>Unique speed controller for a smooth ascent</li> </ul>
SG 4905	Max width: <b>1.6 m</b> Max drop: <b>3 m</b> Max weight: <b>1.3 kg</b>	Chain	<ul> <li>Plastic parts can be colour matched to fabric (21 colours)</li> <li>Optional side guides</li> </ul>
SG 4907	Max width: <b>1.8 m</b> Max drop: <b>2.8 m</b> Max weight: <b>2.5 kg</b>	Chain	<ul> <li>Hardware available in white and grey</li> </ul>
SG 4910	Max width: <b>2.4 m</b> Max drop: <b>3 m</b> Max weight: <b>3 kg</b>	Chain	<ul> <li>Effortless operation even at maximum size</li> <li>Hardware available in white, grey and black</li> <li>Available with fascia / headbox</li> <li>Choice of bottom bar designs</li> <li>Optional side guides</li> </ul>
SG 4930	Max width: <b>3.4 m</b> Max drop: <b>5 m</b> Max weight: <b>7 kg</b>	Chain	<ul> <li>Hardware available in white, grey and black</li> <li>Available with fascia / headbox</li> <li>Choice of bottom bar designs</li> <li>Connected systems (x2) possible with one drive</li> <li>Optional side guides</li> </ul>
SG 4940	Max width: <b>4 m</b> Max drop: <b>6 m</b> Max weight: <b>12.5 kg</b>	Chain	<ul> <li>For heavy and large applications</li> <li>Hardware available in white, grey and black</li> <li>Choice of bottom bar designs</li> <li>Optional side guides</li> </ul>
SG 4945	Max width: <b>5 m</b> Max drop: <b>3.75 m</b> Max weight: <b>9.5 kg</b>	Chain	<ul> <li>For heavy and large applications</li> <li>Hardware available in white, grey and black</li> <li>Choice of bottom bar designs</li> <li>Optional side guides</li> </ul>
SG 4955	Max width: <b>2.4 m</b> Max drop: <b>3 m</b> Max weight: <b>4 kg</b>	Motorised-battery	<ul> <li>Quiet and smooth motor</li> <li>Available with fascia / headbox</li> <li>Choice of bottom bar designs</li> <li>Wireless installation</li> </ul>
SG 4960	Max width: <b>2.4 m</b> Max drop: <b>4 m</b> Max weight: <b>5.5 kg</b>	Motorised	<ul> <li>Quiet, smooth and fast motors</li> <li>Hardware available in white, grey and black</li> <li>Available with fascia / headbox</li> <li>Choice of bottom bar designs</li> <li>Connected systems (x2) possible with one drive</li> <li>Optional side guides</li> </ul>
SG 4970	Max width: <b>3.4 m</b> Max drop: <b>5 m</b> Max weight: <b>10 kg</b>	Motorised	<ul> <li>Quiet, smooth and fast motors</li> <li>Hardware available in in white, grey and black</li> <li>Available with fascia / headbox</li> <li>Choice of bottom bar designs</li> <li>Connected systems (x2) possible with one drive</li> <li>Optional side guides</li> </ul>
SG 4980	Max width: <b>4 m</b> Max drop: <b>12 m</b> Max weight: <b>23 kg</b>	Motorised	<ul> <li>Quiet, smooth and fast motors</li> <li>For heavy and large applications</li> <li>Hardware available in in white, grey and black</li> <li>Choice of bottom bar designs</li> <li>Optional side guides</li> </ul>
SG 4985	Max width: <b>5 m</b> Max drop: <b>9 m</b> Max weight: <b>23 kg</b>	Motorised	<ul> <li>Quiet, smooth and fast motors</li> <li>For heavy and large applications</li> <li>Hardware available in in white, grey and black</li> <li>Choice of bottom bar designs</li> <li>Optional side guides</li> </ul>

# **Technical summary – dim-out blind**

11.0

SYSTEM	DIMENSIONS	OPERATION	USEFUL INFORMATION
SG 4710	Max width: <b>1.6 m</b> Max drop: <b>1.6 m</b> Max weight: <b>2 kg</b>	Chain	<ul> <li>Hardware available in white and black</li> <li>Zip system</li> </ul>
SG 4730	Max width: <b>2.2 m</b> Max drop: <b>2.4 m</b> MMax weight: <b>3.7 kg</b>	Chain	<ul> <li>Hardware available in white and black</li> <li>Zip system</li> </ul>
SG 4740	Max width: <b>3 m</b> Max drop: <b>3 m</b> Max weight: <b>6 kg</b>	Chain	<ul> <li>Hardware available in white and black</li> <li>Zip system</li> </ul>
SG 4760	Max width: <b>1.6 m</b> Max drop: <b>1.6 m</b> Max weight: <b>2 kg</b>	Motorised	<ul> <li>Quiet, smooth and fast motors</li> <li>Hardware available in white and black</li> <li>Zip system</li> </ul>
SG 4770	Max width: <b>2.2 m</b> Max drop: 2. <b>4 m</b> Max weight: <b>3.7 kg</b>	Motorised	<ul> <li>Quiet, smooth and fast motors</li> <li>Hardware available in white and black</li> <li>Zip system</li> </ul>
SG 4780	Max width: <b>3 m</b> Max drop: <b>3 m</b> Max weight: <b>6 kg</b>	Motorised	<ul> <li>Quiet, smooth and fast motors</li> <li>Hardware available in white and black</li> <li>Zip system</li> </ul>

Check out the Silent Gliss online product finder for the full product details, options and specifications.

# CHILD SK

#### WARNING

SC

Young children can be strangled by loops in pull cords, chains, tapes and inner cords that operate the product. To avoid strangulation and entanglement, keep cords out of the reach of young children. Cords may become wrapped around a child's neck. Move beds, cots and furniture away from window covering cords. Do not tie cords together. Make sure cords do not twist and create a loop.

#### The Architects of Silence

Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the worlds' smoothest, quietest systems using state of the art technology.

Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.



#### Silent Gliss Nordic AB

Box 9008 200 39 Malmö Sweden T +46 40 55 52 50 info@silentgliss.se silentgliss.se

#### Silent Gliss Nordic NUF

Bygdøy Allé 111A 0273 Oslo Norway T +47 24 11 80 60 info@silentgliss.no silentgliss.no

#### Silent Gliss Denmark

info@silentgliss.dk silentgliss.dk