METROPOLE



11/2026/V1

SilentGliss

GENERAL NOTES

Dimensions

- *Measurements are in mm except where indicated.*
- *Max. kg relates to fabric incl. accessories.*
- *Stack size depends on curtain make-up and fabric thickness.*
- *Distance between gliders max. 80 mm / distance between rollers max. 100 mm.*
- *Recommended distance floor / fabric: 20 mm.*
- *In order to determine system height (B), the smallest room height must be taken into account.*

Fitting

- *Installation by qualified fitter only.*
- *Number of brackets and fitting positions / fixing points vary depending on fitting surface, system weight, fabric make-up, screw / fixing type and obstacles.*
- *Qualified fitter must use appropriate screws / fixings for each situation.*
- *Profile lip if applicable to be installed to room side.*

Child Safety

- *All relevant Silent Gliss systems correspond to child safety EN 13120.*
- *All parties involved must comply with EN 13120.*

APPLICATION CHART

PAGE	SYSTEM	OPERATION	DIMENSION	DESIGN	WAVE
5	**SG 7600**		S		
15	**SG 7605**		S - M		
25	**SG 7610**		S - M		
35	**SG 7620**		M - L		

SG 7600





PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S*
- ***Fitting****: ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Matching endcaps and brackets / bracket covers*
- *Range of decorative finials*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 11606

Profile

Radius:
15 cm, 20 cm, >25 cm

B. HOW TO MEASURE



A: System width without finials
B: System height
C: Distance between floor and fabric
X: Finial width
Y: Finial height

Finial Measurements

		23 mm	
		X	Y
	SG 11602	2	23
	SG 11621	8	27
	SG 11622	14	38
	SG 11726	49	46
	SG 11727	89	37
	SG 11728	20	69
	SG 11729	18	46

C. SPECIFICATION TEXT

SV

Silent Gliss SG 7600 'Metropole' handdragssytem består av 23mm rund aluminiumprofil SG 11606 i specificerad längd. 14 st 2C glid SG 11300 per meter, 2st vridstopp 6065, ändskydd SG 11602. Raka profiler levereras som standard med väggvinkel "Smart Fix" SG 11206. Alternativ väggvinkel Smart Fix SG11207-11208/ Smart Fix Square SG 11216-11218 eller Fillet SG 11669. Takbeslag SG 11668 eller minihängare SG 6175, samtliga beslag monteras c/c 600mm. Profiler och beslag lackeras i Vit, Matt vit, Silver, Taupe, Antique bronze, Svart, Charcoal och Bronze. Flertalet dekorativa ändknoppar finns I olika former och färger. Wave finns som alternativ. Wave 2C glid 60 mm SG 11303 / 80 mm SG 11302. Levereras som standard med stoppskruv SG 11295.

NO

Silent Gliss SG 7600 Metropole håndført gardinskinnesystem. Består av 23 mm rund aluminiumsprofil SG 11606 i spesifiserte lengder med 14 stk 2C glidere SG 11300 pr. meter, 2 stk SG 6065 vristopper og 2 stk Flush endelokk SG 11602. Rette system leveres som standard med 60 mm veggvinkel Smart Fix SG 11206 hver 600 mm. Alternative veggvinkler Smart Fix SG 11207-11208 / Square Smart Fix SG 11216-11218 eller Fillet brakett SG 11669. Alternative takfester er Top Fix SG 11668 eller Mini-henger SG 6175, alle fester monteres c/c 600 mm. Farger: White, Matt White, Silver, Taupe, Antique Bronze, Bronze, Charcoal og Black. Endedekor: Flush, Stud, Design, Ball end, Taper, Ellipse og Spear. Alternativ med Wave 80 mm 2C glider SG 11302 eller 60 mm SG 11303. Leveres som standard med stoppskrue SG 11295.

DA

Silent Gliss SG 7600 Metropole håndtrukket gardinskinnesystem. Består af en 23 mm rund aluminiumsprofil SG 11606 i ønsket længde med 14 stk 2C glidere SG 11300 pr. meter, 2 stk SG 6065 endestop og 2 stk Flush endelåg SG 11602. Leveres som standard med 60 mm vægvinkel Smart Fix SG 11206 for hver 600 mm. Alternative vægvinkler Smart Fix SG 11207-11208 / Square Smart Fix SG 11216-11218 eller Fillet vinkel SG 11669. Alternative loftbeslag er Top Fix SG 11668 eller Mini hanger SG 6175, alle beslag monteres c/c 600 mm. Farver: White, Matt White, Silver, Taupe, Antique Bronze, Bronze, Charcoal og Black. Endedekor: Flush, Stud, Design, Ball end, Taper, Ellipse og Spear. Alternativ med Wave 80 mm 2C glider SG 11302 eller 60 mm SG 11303. Leveres som standard med stopskrue SG 11295.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175

Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 10492 (M4x8) needed.



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and SG 6141:
Screw SG 11131 (M4x6) needed.



Double System:
Universal Smart Fix SG 11155 - SG 11156 and SG 6151:
Screw SG 11127 (M4x10) and nut SG 11148 needed.

Smart Fix	*X mm*	*Y mm*	*Z mm*
SG 11206 / SG 11216	*51*		
SG 11207 / SG 11217	*71*		
SG 11208 / SG 11218	*91*		
SG 11154	*102-130*		
SG 11155	*132-160*	*68*	*65-72*
SG 11156	*182-210*	*68*	*65-123*



SG 6141
Clamping piece



SG 6151
Ceiling support set 3 mm

SG 10492
Pan head screw M4x8

SG 11127
Countersunk head screw M4x10

SG 11131
Pan head screw with flange M4x6

SG 11148
Nut



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

Fillet Bracket
SG 11669



Screw SG 10492 (M4x8) needed.
Recommended for straight systems only.



SG 6141

Clamping piece

SG 10492

Pan head screw M4x8



SG 11669

Fillet bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11602

SG 11621

SG 11622

Endcaps:

- *SG 11602 Flush endcap 23 mm*
- *SG 11621 Stud endcap 23 mm*
- *SG 11622 Design endcap 23 mm*

Please note:

- *Without finials, poles are supplied as standard with flush fitting endcaps SG 11602 (left).*
- *Alternatively, stud endcaps SG 11621 can be selected at no additional cost.*

B. FINIALS



SG 11726



SG 11727

SG 11728

SG 11729

Finials are decorative elements that fit on at the end of the pole:

- *SG 11726 Ball end 23 mm*
- *SG 11727 Spear 23 mm*
- *SG 11728 Ellipse 23 mm*
- *SG 11729 Taper 23 mm*

C. WAVE



SG 11295



SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*

SG 2255

SG 2256



SG 6364

SG 6365



SG 6366



SG 10430-34



SG 11303

Optional components (min. Radius >25 cm):

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*

SG 3582



SG 6349



SG 6363

SG 10075



SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weigh*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 6065
End stop



SG 6141
Clamping piece



SG 6245
Spring stop



SG 10492
Pan head screw M4x8



SG 11206
Smart Fix with slot 60 mm

SG 11300
2C glider

SG 11602
Flush end cap 23 mm

SG 11606
Profile

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake

SG 3582
Hook

SG 3599
Hook



SG 6151
Ceiling support set 3 mm



SG 6173
Connection bridge



SG 6175
Mini hanger

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod



SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11127
Countersunk head screw M4x10

SG 11131
Pan head screw with flange M4x6



SG 11148
Nut



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11216
Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

SG 11621

Stud end cap 23 mm



SG 11622

Design end cap 23 mm



SG 11668

Top fix bracket



SG 11669

Fillet bracket



SG 11722

Aperto 23 mm



SG 11726

Ball end 23 mm



SG 11727

Spear 23 mm



SG 11728

Ellipse 23 mm



SG 11729

Taper 23 mm

SG 7605





PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Matching endcaps and brackets / bracket covers*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 6101

Profile

Radius:
20 cm, >25 cm

B. HOW TO MEASURE



A: System width without endcaps
B: System height
C: Distance between floor and fabric
X: Endcap width
Y: Endcap height

Endcap Measurements

		36 mm	
		X	Y
	SG 11601	2	36
	SG 11611	5	40

C. SPECIFICATION TEXT

SV

Silent Gliss SG 7605 'Metropole' handdragssytem består av kraftig aluminiumprofil 6101, H 36mm x B 14 mm, levereras i specificerade längder. 14 st 2C glid SG 11300 per meter, 2 st vridstoppSG 6065, 2st ändskydd SG 11601. Raka profiler levereras som standard med väggvinkel "Smart Fix" SG 11206. Alternativ väggvinkel Smart Fix SG11207-11208/ Smart Fix Square SG 11216-11218 eller Fillet SG 11669. Takbeslag SG 11668 eller minihängare SG 6175, samtliga beslag monteras c/c 600mm. Profil och beslag lackeras i Vit, Matt vit, Silver, Taupe, Antique bronze, Svart, Charcoal eller Bronze, ändskydd levereras i matchande färg. Wave finns som alternativ. Wave 2C glid 60 mm SG 11303 / 80 mm SG 11302. Levereras som standard med stoppskruv SG 11295. Alternativt rullglid med krok SG 6094/ rullglid med ögla SG 6098.

NO

Silent Gliss SG 7605 Metropole håndført gardinskinnesystem. Består av 36x14 mm (HxB) aluminiumsprofil SG 6100 i spesifiserte lengder med 14 stk 2C glidere SG 11300 pr. meter, 2 stk SG 6065 vristopper og 2 stk Flush endelokk SG 11601. Rette system leveres som standard med 60 mm veggvinkel Smart Fix SG 11206 hver 600 mm. Alternative veggvinkler Smart Fix SG 11207-11208 / Square Smart Fix SG 11216-11218 eller Fillet brakett SG 11669. Alternative takfester er Top Fix SG 11668 eller Mini-henger SG 6175, alle fester monteres c/c 600 mm. Farger: White, Matt White, Silver, Taupe, Antique Bronze, Bronze, Charcoal og matt Black. Endedekor: Flush og Stud. Alternativ med Wave 80 mm 2C glider SG 11302 eller 60 mm SG 11303. Leveres som standard med stoppskrue SG 11295. Kan også leveres med rulleglider med krok SG 6094 / rulleglider med øye SG 6098.

DA

Silent Gliss SG 7605 Metropole håndtrukket gardinskinnesystem. Består af en 36x14 mm (HxB) aluminiumsprofil SG 6100 i ønsket længde med 14 stk 2C glidere SG 11300 pr. meter, 2 stk SG 6065 endestop og 2 stk Flush endelåg SG 11601. Leveres som standard med 60 mm vægvinkel Smart Fix SG 11206 for hver 600 mm. Alternative vægvinkler Smart Fix SG 11207-11208 / Square Smart Fix SG 11216-11218 eller Fillet vinkel SG 11669. Alternative loftbeslag er Top Fix SG 11668 eller Mini hanger SG 6175, alle beslag monteres c/c 600 mm. Farver: White, Matt White, Silver, Taupe, Antique Bronze, Bronze, Charcoal og Black. Endedekor: Flush og Stud. Alternativ med Wave 80 mm 2C glider SG 11302 eller 60 mm SG 11303. Leveres som standard med stopskrue SG 11295. Kan også leveres med rulleglider med krog SG 6094 / rulleglider med øje SG 6098.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175

Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 10492 (M4x8) needed.



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 10492 (M4x8) needed.

Smart Fix	*X mm*	*Y mm*	*Z mm*
SG 11206 / SG 11216	*51*		
SG 11207 / SG 11217	*71*		
SG 11208 / SG 11218	*91*		
SG 11154	*102-130*		
SG 11155	*132-160*	*68*	*65-72*
SG 11156	*182-210*	*68*	*65-123*



Universal Smart Fix SG 11154 - SG 11156 and SG 6141:
Screw SG 11131 (M4x6) needed.



Double System:
Universal Smart Fix SG 11155 - SG 11156 and SG 6151:
Screw SG 11127 (M4x10) and nut SG 11148 needed.



SG 6141
Clamping piece



SG 6151
Ceiling support set 3 mm

SG 10492
Pan head screw M4x8

SG 11127
Countersunk head screw M4x10

SG 11131
Pan head screw with flange M4x6

SG 11148
Nut



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208
Smart Fix with slot 100 mm



SG 11216
Square Smart Fix with slot 60 mm



SG 11217
Square Smart Fix with slot 80 mm



SG 11218
Square Smart Fix with slot 100 mm



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm

Fillet Bracket
SG 11669



Screw SG 10492 (M4x8) needed.
Recommended for straight systems only.



SG 6141
Clamping piece

SG 10492
Pan head screw M4x8



SG 11669
Fillet bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11601

SG 11611

Please note:

- *Poles are supplied as standard with flush fitting endcaps SG 11601 (left).*
- *Alternatively, stud endcaps SG 11611 (right) can be selected at no additional cost.*

B. WAVE



SG 11295



SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



Optional components (min. Radius >25 cm):

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weigh*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 6065
End stop



SG 6086
Spring stop

SG 6101
Profile



SG 6141
Clamping piece



SG 10492
Pan head screw M4x8



SG 11206
Smart Fix with slot 60 mm

SG 11300
2C glider



SG 11601
Flush end cap 36 mm

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake

SG 3582
Hook

SG 3599
Hook

SG 6053
Spring stop

SG 6094
Roller

SG 6098
Roller



SG 6112
Connection bridge



SG 6151
Ceiling support set 3 mm



SG 6175
Mini hanger

SG 6283
Roller

SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod



SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight

SG 10430
Draw rod 50 cm

SG 10431
Draw rod 75 cm

SG 10432
Draw rod 100 cm

SG 10433
Draw rod 125 cm

SG 10434
Draw rod 150 cm



SG 11127
Countersunk head screw M4x10

SG 11131
Pan head screw with flange M4x6



SG 11148
Nut



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm



SG 11207

Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm



SG 11611

Stud end cap 36 mm

SG 11668

Top fix bracket



SG 11669

Fillet bracket

SG 7610





PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *S - M*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Matching endcaps and brackets / bracket covers*
- *Range of decorative finials*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 6103p

Profile

Radius:
>25 cm

B. HOW TO MEASURE



A: System width without finials
B: System height
C: Distance between floor and fabric
X: Finial width
Y: Finial height

Finial Measurements

		30 mm	
		X	Y
	SG 11603	2	30
	SG 11631	10	34
	SG 11632	18	50
	SG 11746	64	60
	SG 11747	116	48
	SG 11748	26	90
	SG 11749	20	60

C. SPECIFICATION TEXT

SV

Silent Gliss SG 7610 Metropole handdragssytem, består av 30mm rund aluminiumprofil SG 6103, levereras i specificerade längder. 14 st 2C glid SG 11300 per meter, 2 st vridstopp SG 6065, 2st ändskydd SG 11603. Raka profiler levereras som standard med väggvinkel "Smart Fix" SG 11206. Alternativ väggvinkel Smart Fix SG11207-11208/ Smart Fix Square SG 11216-11218 eller Fillet SG 11669. Takbeslag SG 11668 eller minihängare SG 6175, samtliga beslag monteras c/c 600mm. Profil och beslag lackeras i Vit, Matt vit, Silver, Taupe, Antique bronze, Svart, Charcoal eller Bronze, ändskydd levereras i matchande färg. Wave finns som alternativ. Wave 2C glid 60 mm SG 11303 / 80 mm SG 11302. Levereras som standard med stoppskruv SG 11295. Alternativt rullglid med krok SG 6094/ rullglid med ögla SG 6098.

NO

Silent Gliss SG 7610 Metropole håndført gardinskinnesystem. Består av 30 mm rund aluminiumsprofil SG 6103 i spesifiserte lengder med 14 stk 2C glider SG 11300 pr. meter, 2 stk SG 6065 vristopper og 2 stk Flush endelokk SG 11603. Rette system leveres som standard med veggvinkel Smart Fix SG 11206 hver 600 mm. Alternative veggvinkler Smart Fix SG 11207-11208 / Square Smart Fix SG 11216-11218 eller Fillet brakett SG 11669. Alternative takfester er Top Fix SG 11668 eller Mini-henger SG 6175, alle fester monteres c/c 600 mm. Farger: White, Matt White, Silver, Taupe, Antique Bronze, Bronze, Charcoal og matt Black. Endedekor: Flush, Stud, Design, Ball, Taper, Ellipse og Spear. Alternativ med Wave 80 mm 2C glider SG 11302 eller 60 mm SG 11303. Leveres som standard med stoppskrue SG 11295. Kan også leveres med rulleglider med krok SG 6094 / rulleglider med øye SG 6098.

DA

Silent Gliss SG 7610 Metropole håndtrukket gardinskinnesystem. Består af en 30 mm aluminiumsprofil SG 6103 i ønsket længde med 14 stk 2C glidere SG 11300 pr. meter, 2 stk SG 6065 endestop og 2 stk Flush endelåg SG 11603. Leveres som standard med 60 mm vægvinkel Smart Fix SG 11206 for hver 600 mm. Alternative vægvinkler Smart Fix SG 11207-11208 / Square Smart Fix SG 11216-11218 eller Fillet vinkel SG 11669. Alternative loftbeslag er Top Fix SG 11668 eller Mini hanger SG 6175, alle beslag monteres c/c 600 mm. Farver: White, Matt White, Silver, Taupe, Antique Bronze, Bronze, Charcoal og Black. Endedekor: Flush, Stud, Design, Ball, Taper, Ellipse og Spear. Alternativ med Wave 80 mm 2C glider SG 11302 eller 60 mm SG 11303. Leveres som standard med stopskrue SG 11295. Kan også leveres med rulleglider med krog SG 6094 / rulleglider med øje SG 6098.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175

Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 10492 (M4x8) needed.



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and SG 6141:
Screw SG 11131 (M4x6) needed.



Double System:
Universal Smart Fix SG 11155 - SG 11156 and SG 6151:
Screw SG 11127 (M4x10) and nut SG 11148 needed.

Smart Fix	*X mm*	*Y mm*	*Z mm*
SG 11206 / SG 11216	*51*		
SG 11207 / SG 11217	*71*		
SG 11208 / SG 11218	*91*		
SG 11154	*102-130*		
SG 11155	*132-160*	*68*	*65-72*
SG 11156	*182-210*	*68*	*65-123*



SG 6141
Clamping piece



SG 6151
Ceiling support set 3 mm

SG 10492
Pan head screw M4x8

SG 11127
Countersunk head screw M4x10

SG 11131
Pan head screw with flange M4x6

SG 11148
Nut



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

Fillet Bracket
SG 11669



Screw SG 10492 (M4x8) needed.
Recommended for straight systems only.



SG 6141

Clamping piece

SG 10492

Pan head screw M4x8



SG 11669

Fillet bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11603

SG 11631

SG 11632

Endcaps:

- *SG 11603 Flush endcap 30 mm*
- *SG 11631 Stud endcap 30 mm*
- *SG 11632 Design endcap 30 mm*

Please note:

- *Without finials, poles are supplied as standard with flush fitting endcaps SG 11603 (left).*
- *Alternatively, stud endcaps SG 11631 can be selected at no additional cost.*

B. FINIALS



SG 11746 SG 11747

SG 11748 SG 11749

Finials are decorative elements that fit on at the end of the pole:

- *SG 11746 Ball end 30 mm*
- *SG 11747 Spear 30 mm*
- *SG 11748 Ellipse 30 mm*
- *SG 11749 Taper 30 mm*

C. WAVE





SG 11295 SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 2256 SG 6364 SG 6365



SG 6366 SG 10430-34 SG 11303

Optional components:

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



SG 3582 SG 6349 SG 6363



SG 10075 SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weigh*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 6065
End stop



SG 6086
Spring stop

SG 6103p
Profile



SG 6141
Clamping piece



SG 10492
Pan head screw M4x8



SG 11206
Smart Fix with slot 60 mm

SG 11300
2C glider



SG 11603
Flush end cap 30 mm

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake

SG 3582
Hook

SG 3599
Hook

SG 6094
Roller

SG 6098
Roller



SG 6151
Ceiling support set 3 mm



SG 6175
Mini hanger

SG 6283
Roller



SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod



SG 6635
Connection bridge set

SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11127
Countersunk head screw M4x10

SG 11131
Pan head screw with flange M4x6



SG 11148
Nut



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm



SG 11207

Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

SG 11631

Stud end cap 30 mm

SG 11632

Design end cap 30 mm

SG 11668

Top fix bracket



SG 11669

Fillet bracket

SG 11732

Aperto 30 mm



SG 11746

Ball end 30 mm



SG 11747

Spear 30 mm

SG 11748

Ellipse 30 mm



SG 11749

Taper 30 mm

SG 7620





PRODUCT INFORMATION

- ***Operation:*** *hand*
- ***Range:*** *M - L*
- ***Fitting:*** *ceiling, wall*
- ***Colours:*** *white RAL 9016, various colours / finishes*
- ***Fabrics:*** *refer to Silent Gliss fabric collection*

Features:

- *2-component (2C) glider technology*
- *Wave (2C)*
- *Matching endcaps and brackets / bracket covers*
- *Range of decorative finials*
- *Bendable*

SYSTEM SPECIFICATIONS

A. PROFILE

Profile and bending information



SG 11609

Profile

Radius:
>50 cm

B. HOW TO MEASURE



A: System width without finials
B: System height
C: Distance between floor and fabric
X: Finial width
Y: Finial height

Finial Measurements

		50 mm	
		X	Y
	SG 11605	2	51
	SG 11651	10	56
	SG 11652	24	75
	SG 11776	90	85
	SG 11777	165	70
	SG 11778	32	130
	SG 11779	30	100

C. SPECIFICATION TEXT

SV

Silent Gliss SG 7620 Metropole handdragssytem, består av kraftig 50mm rund aluminiumprofil SG 11609, levereras i specificerade längder. 14 st 2C glid SG 11300 per meter, 2 st vridstopp SG 6065, 2st ändskydd SG 11605. Raka profiler levereras som standard med väggvinkel "Smart Fix" SG 11206. Alternativ väggvinkel Smart Fix SG11207-11208/ Smart Fix Square SG 11216-11218 eller Fillet SG 11669. Takbeslag SG 11668 eller minihängare SG 6175, samtliga beslag monteras c/c 600mm. Profil och beslag lackeras i Vit, Matt vit, Silver, Taupe, Antique bronze, Svart, Charcoal eller Bronze, ändskydd levereras i matchande färg. Wave finns som alternativ. Wave 2C glid 60 mm SG 11303 / 80 mm SG 11302. Levereras som standard med stoppskruv SG 11295. Alternativt rullglid med krok SG 6094/ rullglid med ögla SG 6098.

NO

Silent Gliss SG 7620 Metropole håndført gardinskinnesystem. Består av 50 mm rund aluminiumsprofil SG 11609 i spesifiserte lengder med 14 stk 2C glider SG 11300 pr. meter, 2 stk SG 6065 vristopper og 2 stk Flush endelokk SG 11605. Leveres som standard med veggvinkel Smart Fix SG 11206 hver 600 mm. Alternative veggvinkler Smart Fix SG 11207-11208 / Square Smart Fix SG 11216-11218 eller Fillet brakett SG 11669. Alternative takfester er Top Fix SG 11668 eller Mini-henger SG 6175, alle fester monteres c/c 600 mm. Farger: White, Matt White, Silver, Taupe, Antique Bronze, Bronze, Charcoal og matt Black. Endedekor: Flush, Stud, Design, Ball, Taper, Ellipse og Spear. Alternativ med Wave 80 mm 2C glider SG 11302 eller 60 mm SG 11303. Leveres som standard med stoppskrue SG 11295. Kan også leveres med rulleglider med krok SG 6094 / rulleglider med øye SG 6098.

DA

Silent Gliss SG 7620 Metropole håndtrukket gardinskinnesystem. Består af en 50 mm rund aluminiumsprofil SG 11609 i ønsket længde med 14 stk 2C glidere SG 11300 pr. meter, 2 stk SG 6065 endestop og 2 stk Flush endelåg SG 11605. Leveres som standard med 60 mm vægvinkel Smart Fix SG 11206 for hver 600 mm. Alternative vægvinkler Smart Fix SG 11207-11208 / Square Smart Fix SG 11216-11218 eller Fillet vinkel SG 11669. Alternative loftbeslag er Top Fix SG 11668 eller Mini hanger SG 6175, alle beslag monteres c/c 600 mm. Farver: White, Matt White, Silver, Taupe, Antique Bronze, Bronze, Charcoal og Black. Endedekor: Flush, Stud, Design, Ball, Taper, Ellipse og Spear. Alternativ med Wave 80 mm 2C glider SG 11302 eller 60 mm SG 11303. Leveres som standard med stopskrue SG 11295. Kan også leveres med rulleglider med krog SG 6094 / rulleglider med øje SG 6098.

FITTING

A. FITTING INFORMATION

For detailed fitting information, visit the Silent Gliss website.

Fixing points



B. CEILING FITTING

Top fix bracket SG 11668





SG 11668

Top fix bracket

Mini hanger SG 6175





SG 6175

Mini hanger

C. WALL FITTING

Smart Fix



Smart Fix with slot SG 11206 - SG 11208 and SG 6141:
Screw SG 10492 (M4x8) needed.



Square Smart Fix with slot SG 11216 - SG 11218 and SG 6141:
Screw SG 10492 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and SG 6141:
Screw SG 11131 (M4x6) needed.



Double System:
Universal Smart Fix SG 11155 - SG 11156 and SG 6151:
Screw SG 11127 (M4x10) and nut SG 11148 needed.

Smart Fix	*X mm*	*Y mm*	*Z mm*
SG 11206 / SG 11216	*51*		
SG 11207 / SG 11217	*71*		
SG 11208 / SG 11218	*91*		
SG 11154	*102-130*		
SG 11155	*132-160*	*68*	*65-72*
SG 11156	*182-210*	*68*	*65-123*



SG 6141
Clamping piece



SG 6151
Ceiling support set 3 mm

SG 10492
Pan head screw M4x8

SG 11127
Countersunk head screw M4x10

SG 11131
Pan head screw with flange M4x6

SG 11148
Nut



SG 11206
Smart Fix with slot 60 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm



SG 11156

Universal Smart Fix 200 mm

Fillet Bracket
SG 11669



Screw SG 10492 (M4x8) needed.
Recommended for straight systems only.



SG 6141

Clamping piece

SG 10492

Pan head screw M4x8



SG 11669

Fillet bracket

DESIGN & SYSTEM OPTIONS

A. ENDCAPS

SG 11605

SG 11651

SG 11652

Endcaps:

- *SG 11605 Flush endcap 50 mm*
- *SG 11651 Stud endcap 50 mm*
- *SG 11652 Design endcap 50 mm*

Please note:

- *Without finials, poles are supplied as standard with flush fitting endcaps SG 11605 (left).*
- *Alternatively, stud endcaps SG 11651 can be selected at no additional cost.*

B. FINIALS



SG 11776 SG 11777

SG 11778 SG 11779

Finials are decorative elements that fit on at the end of the pole:

- *SG 11776 Ball end 50 mm*
- *SG 11777 Spear 50 mm*
- *SG 11778 Ellipse 50 mm*
- *SG 11779 Taper 50 mm*

C. WAVE





SG 11295 SG 11302

Standard components:

- *SG 11295 End stop*
- *SG 11302 Wave 2C glider cord 80 mm*



SG 2255 SG 2256 SG 6364 SG 6365



SG 6366 SG 10430-34 SG 11303

Optional components:

- *SG 2255 Brake*
- *SG 2256 Brake*
- *SG 6364 Wave extension*
- *SG 6365 Wave hanger*
- *SG 6366 Wave carrier for draw rod*
- *SG 10430-34 Draw rod*
- *SG 11303 Wave 2C glider cord 60 mm*



SG 3582 SG 6349 SG 6363



SG 10075 SG 10076

Curtain components:

- *SG 3582 Hook*
- *SG 6349 Wave curtain tape*
- *SG 6363 Wave top hemming tape*
- *SG 10075 Lead weight 50 gr/m*
- *SG 10076 Fabric weigh*

Wave stack depth - 2C glider cord (standard components)



A = Stack depth
B = Stack size
C = Min. distance

2C Glider cord SG 11302	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	180 per metre of track	90
80	7	~2.3	160	180 per metre of track	100

2C Glider cord SG 11303	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	230 per metre of track	70
60	5	~2.3	120	230 per metre of track	80

**Stack size B when using optional extension arm SG 6364 increases by 95 mm per curtain stack!*

PARTS

A. STANDARD PARTS

SG 6065
End stop



SG 6086
Spring stop



SG 6141
Clamping piece



SG 10492
Pan head screw M4x8



SG 11206
Smart Fix with slot 60 mm

SG 11300
2C glider

SG 11605
Flush end cap 50 mm



SG 11609
Profile

B. OPTIONAL PARTS



SG 2255
Brake



SG 2256
Brake

SG 3582
Hook

SG 3599
Hook

SG 6094
Roller

SG 6098
Roller



SG 6151
Ceiling support set 3 mm



SG 6175
Mini hanger

SG 6283
Roller



SG 6349
Wave curtain tape

SG 6363
Wave top hemming tape



SG 6364
Wave extension



SG 6365
Wave hanger



SG 6366
Wave carrier for draw rod



SG 10075
Lead weight 50 g/m



SG 10076
Fabric weight



SG 10430
Draw rod 50 cm



SG 10431
Draw rod 75 cm



SG 10432
Draw rod 100 cm



SG 10433
Draw rod 125 cm



SG 10434
Draw rod 150 cm



SG 11127
Countersunk head screw M4x10



SG 11131
Pan head screw with flange M4x6



SG 11148
Nut



SG 11154
Universal Smart Fix 120 mm



SG 11155
Universal Smart Fix 150 mm



SG 11156
Universal Smart Fix 200 mm



SG 11207
Smart Fix with slot 80 mm



SG 11208

Smart Fix with slot 100 mm



SG 11216

Square Smart Fix with slot 60 mm



SG 11217

Square Smart Fix with slot 80 mm



SG 11218

Square Smart Fix with slot 100 mm



SG 11295

End stop

SG 11301

2C glider on strip



SG 11302

Wave 2C glider cord 80 mm



SG 11303

Wave 2C glider cord 60 mm

SG 11651

Stud end cap 50 mm

SG 11652

Design end cap 50 mm



SG 11668

Top fix bracket



SG 11669

Fillet bracket



SG 11776

Ball end 50 mm



SG 11777

Spear 50 mm

SG 11778

Ellipse 50 mm



SG 11779

Taper 50 mm



SG 11783

Connection bridge

The Architects of Silence

Silent Gliss is the leading global supplier of premium interior window treatments. Since 1952 we have been tirelessly committed to the development of the worlds` smoothest, quietest systems using state of the art technology.

Driven by customer needs, Silent Gliss offers functional and durable products. Expert technical advice coupled with installation and support services complete the offer. Silent Gliss stands for innovative, sustainable, tailor made solutions, exceptional design and first-class quality.

Silent Gliss Nordic AB
Box 9008
213 77 Malmö
Sweden
T +46 40 55 52 50
info@silentgliss.se

Byggdøy Allé 111A
0273 Oslo
Norway
T +47 24 11 80 60
info@silentgliss.no

Denmark
T +45 36 77 67 00
info@silentgliss.dk

silentgliss.se
silentgliss.no
silentgliss.dk